

HAYER & BOECKER



NIAGARA

THE SCARABAEUS® 7500

**PELLETIZING DISC – SUSTAINABLE AND
EFFICIENT PRODUCTION OF IRON ORE PELLETS**



EFFICIENT IRON ORE PELLETIZING

IMPROVE RESOURCE EFFICIENCY



■ IMPROVED PRODUCT QUALITY


The Scarabaeus process creates higher quality pellets, which can be sold at better prices due to significant tighter pellet size distribution and a higher iron content.

■ INCREASED PRODUCT OUTPUT

The Scarabaeus process generates higher tonnages by minimizing the material return rates and avoids double processing of over- or undersized pellets due to automatic machine parameter adjustment, which can also adapt to varying material property fluctuations in the feed material.

■ REDUCED CO₂ EMISSIONS

The Scarabaeus process creates pellets so high in quality that they can be utilized for the direct reduction process.



Pelletizing – Why?

The undiminished demand of iron ore leads to mining of even lower-valued deposits. The reduced quality of the natural resources stands in opposition to the economic, ecological and technological restrictions, which require an intensive mineral processing of the iron ore. An enrichment of iron components is achieved by separation of undesirable components. However, for this it is necessary to crush the ore to the decomposition grain size and to supply sorting processes such as magnetic separation and flotation. To improve the process and product properties of the fine-grained iron ore concentrates, it is necessary to agglomerate these concentrates. Pelletizing of iron ore concentrates in pelletizing discs leads to significant tighter distributed pellets with smooth surface.

Pelletizing – How?

The process chamber of a pelletizing disc is made by an inclined, rotating, flat cylindrical pan. Due to rotation of the pan, the fine material is pulled along to the disc uppermost point and then rolling down onto a material bed. Caused by the special movement of the material itself and the addition of water onto the material, nucleation and growing occurs as a result of the settings of the pelletizing disc.

Typically, final pellets with a very tight particle size distribution are discharged continuously over the board of The SCARABAEUS® 7500.

Pelletizing – Service!


HAYER & BOECKER NIAGARA supports you to develop and optimize your processes, machines and plants. In our test facility various test equipment for pelletizing is available. The objective of HAYER Process Engineering is to meet your technical requirements and economic benefits. To achieve this, it is necessary to concentrate on the whole pelletizing process, starting with raw materials preparation, dosing and mixing and binder treatment. The core-components of pelletizing are focused in detail to minimize the efforts of final product classification, material circulation as well as de-dusting, safety and environmental protection. Applying recognized technical norms and standards with tailor-made processing leads to a production process that saves energy and resources.

TECHNICAL SPECIFICATION

The SCARABAEUS® pelletizing discs by HAVER & BOECKER NIAGARA are used for sustainable and efficient production of iron ore pellets. The unique design minimizes circulation, increases productivity and profitability. The pelletizing discs used for agglomerating iron ore concentrates into pellets are remarkable for their significant tight particle size distribution with a target size of 10 to 14 mm, important for DR-Processes. The powdery (powder-type) feed material is formed into pellets with use of water as the liquid binding agent. The optimum operating parameters can be set by changing the inclination, the rotational speed, mass flow rate, and now also the rim height thanks to the innovative automatic pelletizing disc control system.

In order to develop customized solutions for our clients and to determine which process is the best for their individual iron ore pellet requirements, HAVER ENGINEERING GmbH (Associated-Institute of TU Bergakademie Freiberg) is conducting iron ore tests in a specialized test facility. Proving the possibility of achieving the desired parameters with the main aim - to create added value for our customers through sustainable technically valid sound solutions, perfect quality, guaranteed reliability and absolute flexibility!

- Remote monitoring / controlling
- Completely automated inline analysis system
- Measuring of pellet size distribution directly (of unconsolidated material) on the product belt
- Real time measurement without disrupting the production
- Scarabaeus process control with expert system
- Continuous target/actual comparison of key performance indicators
- Automatic readjustment of process parameters



THE SCARABAEUS PELLETIZING DISC

ADVANTAGES




- Automatic adjustment of the sidewall height during operation
- Stepless rotary speed adjustment during operation
- Automatic inclination adjustment during operation

TECHNICAL SPECIFICATIONS

- Disc diameter 7,5 m
- Rotary speed 4,5 - 9,0 rpm
- Adjusting of sidewall 450 - 650 mm stepless
- Adjustment of inclination 45° - 60° stepless
- Drive unit 200 kW

Main dimensions

- Length 9576 mm
- Width 6480 - 7683 mm
- Hight 7535 - 8180 mm



YOUR BENEFITS

■ Reduced CO₂ emissions

The Scarabaeus process creates pellets so high in quality that they can be utilized for the direct reduction process. This in return can create enormous CO₂ emission savings, thus minimizing the mine's impact on the environment. The Scarabaeus pelletizing disc and the Scarabaeus process control are the tools to produce a tight pellet size distribution. The specifications of iron ore pelletizing are no longer anymore only 9 to 16 mm. With these tools, even 10 to 14 mm is possible. Consequently, the Scarabaeus system did not only improve our customers CO₂-footprint, even the CO₂ emissions of the steel producers could be improved by production of better pellets.

■ Improved product quality


The Scarabaeus process creates pellets of highest quality, which can be sold at better prices due to significant tighter pellet size distribution and a higher iron ore content. The Scarabaeus pelletizing disc gives the operators a full range of influencing parameters by the machine itself. Desired material quality, e.g. pellet strength and pellet size could be achieved by changes of machine parameters, no longer only by addition of more and more binders and additives. Thus, the total iron content of the green pellets corresponds approximately with the total iron content of the concentrate – improvement of product quality – without backward rolls.

■ Increased product output

The Scarabaeus process generates higher tonnages by minimizing the material return rates and avoids double processing of over- or undersized pellets due to automatic machine parameter adjustment, which can also adapt to varying material property fluctuations in the feed material. The Scarabaeus pelletizing disc creates possibilities to react quickly to material fluctuations in the feed material by self-adjustment of rotational speed, side wall height, inclination, capacity and water addition. The relevant information, whether the product is within the predefined specifications or not, is determined by a completely automated analysis system for measuring the size distribution of unconsolidated material on the conveyor belt in real time without disrupting the production. Based on an Expert System, the Scarabaeus process control conducts a continuous target/actual comparison of key performance indicators and thereafter an automatic readjustment of process parameters. The outcome is an increased product output by reduced over- and undersized pellets. For standard BF-Pellet production an increase of the production rate by more than 30 % is possible, for DR-Pellets an increase of even 50 % of the yield is remarkable under stable capacity up to 150 tph per unit. Our customers CO₂ footprint, even the CO₂ emissions of the steel producers could be improved by production of better pellets.

OUR SOLUTION FOR YOUR PERFECT FLOW

FEASIBILITY. INTERPRETATION. COMMISSIONING.



With a global network of experts, HAVER ENGINEERING supports customers around the world to develop and optimize their processes, machines and plants. In specialized test facility various test equipment for pelletizing is available. The objective of HAVER Process Engineering is to meet all technical requirements and economic benefits. To achieve this, it is necessary to concentrate on the whole pelletizing process, starting with raw materials preparation, dosing, mixing and binder treatment. The core-components pelletizing and curing/drying of the pellets are focused to minimize the efforts of final product classification, recycling as well as de-dusting, safety and environmental protection. Applying recognized technical norms and standards with tailor-made processing leads to a production process that saves energy and resources.

HAVER ENGINEERING



HAVER & BOECKER



HAVER ENGINEERING GmbH is an innovative engineering company for mineral processing. As a competent partner HAVER ENGINEERING develops and implements forward-looking solutions in cooperation with the customers. HAVER ENGINEERING is also recognized as an official associated institute of TU Bergakademie Freiberg. Because of this cooperation with the TU Bergakademie Freiberg the scientific research of HAVER ENGINEERING GmbH is strengthened and the joint innovative developments are given more sustainability. Together with the partner HAVER & BOECKER Niagara HAVER ENGINEERING develops process engineering solutions, machinery and innovative services. Contact us to learn more!

PLANET BLUE

Our planet is unique – as unique as the life that is on it.

Michael James Massimino spent 23 days, 19 hours and 47 minutes in outer space, seven hours of which were devoted to exterior repairs to the Hubble telescope. It took this one overwhelming moment of spacewalk to realize how not only unique and beautiful the blue planet is, but also how vulnerable and incredibly thin its atmosphere is. The Earth is a single living, breathing organism. It is our home.

We at HAVER & BOECKER understand that the environment needs no protection. It is people who need protection.

As a company, we can make a small but sure contribution to this protection. PLANET BLUE's message is to use the right technology from HAVER & BOECKER in order to create win-win-win situations in which both the resources of our planet and the financial resources of our customers are conserved.



HAYER & BOECKER

Since the inception of business as we know it, the measurement of success for a company has always been the profit it generates. The dictionary defines profit as "the ratio of pecuniary gain compared to the amount of capital invested." At HAYER & BOECKER we believe that the key to maximizing this ratio for any company lies in perfecting the quality of its flow in terms of product and process. We are convinced that a single perfect flow applicable to any and every product or process does not exist. Instead we are driven to identify the ideal flow for each product, customer and operation. In essence, at HAYER & BOECKER we are a family of flow designers and engineers focused on finding your perfect flow. The foundation for our endeavors is our range of premium technologies, which can be combined to form complete systems of flow. From processing and materials handling over mixing, packaging and filling to palletizing, loading and automating, HAYER & BOECKER can partner with you in all aspects of your business.

With W.S. TYLER, IBAU HAMBURG, SOMMER, Feige FILLING, BEHN + BATES, NEWTEC BAG PALLETIZING and of course HAYER & BOECKER itself, we have assembled over time nothing but the best and strongest brands in our industry to ensure that we will not make any compromises when designing the perfect flow for you. Maximize your success by allowing our family of flow specialists and professionals to be a part of yours.

PROCESSING STORAGE MIXING FILLING PACKING PALLETIZING LOADING AUTOMATION



HAYER NIAGARA GmbH
Robert-Bosch-Straße 6, 48153 Münster, Germany
Phone: +49 (0) 251-9793-0
Telefax: +49 (0) 251-9793-156
E-mail: pelletizing@haverniagara.com
Internet: www.haverniagara.com



HAYER ENGINEERING GmbH
Associated Institute of TU Bergakademie Freiberg
Halsbrücker Str. 34, 09599 Freiberg, Germany
Phone: +49 (0) 3731 419700
Telefax: +49 (0) 3731 419701
E-mail: pelletizing@haverniagara.com
Internet: www.haverengineering.de

